

1 ALAN R. BRAYTON, ESQ., S.B. #73685
2 DAVID R. DONADIO, ESQ., S.B. #154436
3 BRAYTON♦PURCELL LLP
4 Attorneys at Law
5 222 Rush Landing Road
P.O. Box 6169
Novato, California 94948-6169
(415) 898-1555
(415) 898-1247 (Fax No.)

5 || Attorneys for Plaintiff

UNITED STATES DISTRICT COURT
EASTERN DISTRICT OF PENNSYLVANIA

9 IN RE: ASBESTOS PRODUCTS LIABILITY LITIGATION (NO. VI),) Civil Action No. MDL. 875
10)

12 This document relates to James Guthrie, Tony) STATEMENT OF CASE STATUS AS
13 Davidson, Ronald Zerangue, Samuel Rester,) TO PLAINTIFF John A. Gray
14 John Gray, Elmer Parolini, Wayne Dufault, Jesse)
15 Beverly, Jr. v. General Electric Company, Todd)
16 Shipyards Corporation, Lockheed Martin)
17 Corporation, Raytheon Aircraft Company,)
McDonnell Douglas Corporation, United States)
District Court for the Northern District of)
California, Case No.C07-2542-JL , Filed May)
14, 2007.)

Pursuant to Administrative Order No. 12 of May 31, 2007, the above-referenced plaintiff makes the following statements:

1. SUBMISSION OF IDENTIFICATION INFORMATION

Plaintiff (full name): John A. Gray;

Date of Birth: May 21, 1948;

Last four digits of plaintiff's social security number: 4213;

Plaintiff is a: asbestos-related injury victim. (The person who suffered the asbestos-related injury was John A. Gray).

2. SUBMISSION OR RELATED COURT ACTIONS

Plaintiff identifies the following related actions, the status of each of the following being

1 "pending" in the court unless otherwise indicated; with additional information on these related
2 action(s) attached hereto and incorporated herein by this reference:

3 John A. Gray v. Asbestos Defendants, San Francisco Superior Court of the State of
4 California, Case No. 274119; Claim of the Asbestos Injured Party for his personal injury. This
5 case is active, pre-trial.

6 **3. SUBMISSION OF STATEMENT OF CASE STATUS**

- 7 A. Plaintiff identifies the following defendants as non-bankrupt and unsettled the
8 above stated plaintiff has pled against: GENERAL ELECTRIC COMPANY
9 B. Plaintiff has achieved resolution of plaintiff's claim with the following
10 defendants: Not applicable.
11 C. Plaintiff now desires to dismiss from Plaintiff's action the following Defendants:
12 Not applicable.
13 D. Plaintiff identifies the following defendant(s) as currently in bankruptcy: Not
14 applicable.

15 **4. SUBMISSION OF MEDICAL REPORTS**

16 Plaintiff submits that attached medical diagnosing report / opinion based upon objective
17 and subjective data which is identified and descriptively set out within the report / opinion which
18 will withstand a dispositive motion, and is based on objective and subjective data which is
19 identified and descriptively set out within the report / opinion.

20 **5. ALTERNATIVE PLAINTIFF SUBMISSION**

21 Not Applicable.

22 **6. TIMING REQUIREMENTS**

23 Above plaintiff's action was filed on May 14, 2007 making this submission due on or
24 before August 1, 2007.

25 **7. SCREENED CASES**

26 Plaintiff's claims are not the result of a mass screening.

27 **8. EXCLUSIONS**

28 This case is not designated as 2MDL 875 (MARDOC).

1 9. SETTLEMENT CONFERENCE / SUGGESTIONS OF REMAND

2 Plaintiff asks that a settlement conference be set in this matter and seeks remand of this
3 case back to the originating court.

4 10. MANNER OF SUBMISSIONS

5 In accordance with FRCivP Rule 5, a copy of the foregoing submission is served upon all
6 parties in this above-identified action (Case No.C07-2542-JL) pursuant to the local rules of the
7 United States District Court for the Northern District of California, upon filing with that Court,
8 using that Court's transmission facilities by means of the Court's CM/ECF (Case Management /
9 Electronic Case Filing) system.

10 Dated: 7/10/07

BRAYTON♦PURCELL LLP

11 
12 By: _____
13 David R. Donadio
Attorneys for Plaintiff John A. Gray

14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

1 DEFENDANTS IN RELATED COURT ACTION
2

3 ALLIS-CHALMERS CORPORATION PRODUCT LIABILITY TRUST
4 BUCYRUS INTERNATIONAL, INC.
5 CROWN CORK & SEAL COMPANY, INC.
6 CRANE CO.
7 THOMAS DEE ENGINEERING CO., INC.
8 DURABLA MANUFACTURING COMPANY, INC.
9 THE GOODYEAR TIRE & RUBBER COMPANY
10 FOSTER WHEELER LLC
11 GARLOCK SEALING TECHNOLOGIES, LLC
12 LAMONS GASKET COMPANY
13 OWENS-ILLINOIS, INC.
14 PARKER-HANNIFIN CORPORATION
15 PLANT INSULATION COMPANY
16 QUINTEC INDUSTRIES, INC.
17 RAPID-AMERICAN CORPORATION
18 THORPE INSULATION COMPANY
19 UNIROYAL HOLDING, INC.
20 VIACOM, INC.
21 WESTERN MacARTHUR COMPANY
22 MacARTHUR COMPANY
23 WESTERN ASBESTOS COMPANY
24 DAIMLERCHRYSLER CORPORATION
25 FORD MOTOR COMPANY
26 GENERAL MOTORS CORPORATION
27 CSK AUTO, INC.
28 INGERSOLL-RAND COMPANY
and DOES 1-8500,
LESLIE CONTROLS, INC.
VELAN VALVE CORPORATION
NATIONAL STEEL AND SHIPBUILDING COMPANY
IMO INDUSTRIES, INC.
HOPEMAN BROTHERS, INC.
J.T. THORPE & SON, INC.
METROPOLITAN LIFE INSURANCE COMPANY
GATKE CORPORATION
AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, INC.
UNDERWRITERS LABORATORIES, INC.
PNEUMO ABEX LLC

Defendants.

John Gray vs. Asbestos Defendants (B&P)
San Francisco Superior Court

GRAY, JOHN

MONTH DATE OF RADIOGRAPH
 DAY YEAR

10	25	2006
----	----	------

WORKER'S Social Security Number

--	--	--	--	--	--

ROENTGENOGRAPHIC INTERPRETATION

TYPE OF READING
 A B P

Note: Please record your interpretation of a single film by placing an "x" in the appropriate boxes on this form.

1. FILM QUALITY		Overexposed (dark)	<input type="checkbox"/>	Improper position	<input type="checkbox"/>	Underinflation	<input type="checkbox"/>																																																													
1	<input checked="" type="checkbox"/>	3	U/R	<input type="checkbox"/>	Poor contrast	<input type="checkbox"/>	Mottle																																																													
(If not Grade 1, mark all boxes that apply)																																																																				
		Underexposed (light)	<input type="checkbox"/>	Artifacts	<input type="checkbox"/>	Poor processing	<input type="checkbox"/>	Other (please specify)																																																												
2A. ANY PARENCHYMAL ABNORMALITIES CONSISTENT WITH PNEUMOCONIOSIS?																																																																				
								YES <input checked="" type="checkbox"/>	Complete Sections 2B and 2C	NO <input type="checkbox"/> Proceed to Section 3A																																																										
2B. SMALL OPACITIES		b. ZONES			c. PROFUSION			2C. LARGE OPACITIES																																																												
<table border="1"> <tr><td colspan="2">▲ SHAPE/SIZE</td></tr> <tr><td>PRIMARY</td><td>SECONDARY</td></tr> <tr><td><input checked="" type="checkbox"/> p</td><td><input checked="" type="checkbox"/> p</td></tr> <tr><td><input checked="" type="checkbox"/> q</td><td><input checked="" type="checkbox"/> q</td></tr> <tr><td><input checked="" type="checkbox"/> r</td><td><input checked="" type="checkbox"/> r</td></tr> <tr><td>u</td><td>u</td></tr> </table>		▲ SHAPE/SIZE		PRIMARY	SECONDARY	<input checked="" type="checkbox"/> p	<input checked="" type="checkbox"/> p	<input checked="" type="checkbox"/> q	<input checked="" type="checkbox"/> q	<input checked="" type="checkbox"/> r	<input checked="" type="checkbox"/> r	u	u	<table border="1"> <tr><td colspan="2">R L</td></tr> <tr><td>UPPER</td><td><input type="checkbox"/> <input type="checkbox"/></td></tr> <tr><td>MIDDLE</td><td><input checked="" type="checkbox"/> <input checked="" type="checkbox"/></td></tr> <tr><td>LOWER</td><td><input checked="" type="checkbox"/> <input checked="" type="checkbox"/></td></tr> </table>			R L		UPPER	<input type="checkbox"/> <input type="checkbox"/>	MIDDLE	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	LOWER	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<table border="1"> <tr><td>0/-</td><td>0/0</td><td>0/1</td></tr> <tr><td><input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/> 1/1</td><td><input checked="" type="checkbox"/> 1/2</td></tr> <tr><td>2/1</td><td>2/2</td><td>2/3</td></tr> <tr><td>3/2</td><td>3/3</td><td>3/4</td></tr> </table>			0/-	0/0	0/1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 1/1	<input checked="" type="checkbox"/> 1/2	2/1	2/2	2/3	3/2	3/3	3/4	<table border="1"> <tr><td colspan="3">SIZE</td></tr> <tr><td><input checked="" type="checkbox"/> O</td><td><input type="checkbox"/> A</td><td><input type="checkbox"/> B</td></tr> <tr><td><input type="checkbox"/> C</td><td colspan="2"></td></tr> </table>			SIZE			<input checked="" type="checkbox"/> O	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C																			
▲ SHAPE/SIZE																																																																				
PRIMARY	SECONDARY																																																																			
<input checked="" type="checkbox"/> p	<input checked="" type="checkbox"/> p																																																																			
<input checked="" type="checkbox"/> q	<input checked="" type="checkbox"/> q																																																																			
<input checked="" type="checkbox"/> r	<input checked="" type="checkbox"/> r																																																																			
u	u																																																																			
R L																																																																				
UPPER	<input type="checkbox"/> <input type="checkbox"/>																																																																			
MIDDLE	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>																																																																			
LOWER	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>																																																																			
0/-	0/0	0/1																																																																		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 1/1	<input checked="" type="checkbox"/> 1/2																																																																		
2/1	2/2	2/3																																																																		
3/2	3/3	3/4																																																																		
SIZE																																																																				
<input checked="" type="checkbox"/> O	<input type="checkbox"/> A	<input type="checkbox"/> B																																																																		
<input type="checkbox"/> C																																																																				
3A. ANY PLEURAL ABNORMALITIES CONSISTENT WITH PNEUMOCONIOSIS?																																																																				
								YES <input checked="" type="checkbox"/>	Complete Sections 3B, 3C	NO <input type="checkbox"/> Proceed to Section 4A																																																										
3B. PLEURAL PLAQUES (mark site, calcification, extent, and width)																																																																				
<table border="1"> <tr><td>Chest wall</td><td>Site</td><td>Calcification</td><td colspan="3">Extent (chest wall; combined for in profile and face on)</td><td colspan="3">Width (in profile only) (3mm minimum width required)</td></tr> <tr><td>In profile</td><td><input checked="" type="checkbox"/> R L</td><td><input checked="" type="checkbox"/> R L</td><td colspan="3">Up to 1/4 of lateral chest wall = 1</td><td colspan="3">3 to 5 mm = a</td></tr> <tr><td>Face on</td><td><input type="checkbox"/> O R <input checked="" type="checkbox"/></td><td><input checked="" type="checkbox"/> R L</td><td colspan="3">1/4 to 1/2 of lateral chest wall = 2</td><td colspan="3">5 to 10 mm = b</td></tr> <tr><td>Diaphragm</td><td><input type="checkbox"/> O <input checked="" type="checkbox"/> R X</td><td><input checked="" type="checkbox"/> R L</td><td colspan="3">> 1/2 of lateral chest wall = 3</td><td colspan="3">> 10 mm = c</td></tr> <tr><td>Other site(s)</td><td><input checked="" type="checkbox"/> R L</td><td><input checked="" type="checkbox"/> R L</td><td><input checked="" type="checkbox"/> R</td><td><input type="checkbox"/> O</td><td><input checked="" type="checkbox"/> X</td><td><input type="checkbox"/> 1</td><td><input type="checkbox"/> 2</td><td><input type="checkbox"/> 3</td><td><input checked="" type="checkbox"/> R</td><td><input checked="" type="checkbox"/> O L</td></tr> <tr><td></td><td></td><td></td><td><input type="checkbox"/> 1</td><td><input type="checkbox"/> 2</td><td><input type="checkbox"/> 3</td><td><input checked="" type="checkbox"/> 2</td><td><input type="checkbox"/> 2</td><td><input type="checkbox"/> 3</td><td><input type="checkbox"/> a</td><td><input type="checkbox"/> b</td></tr> </table>		Chest wall	Site	Calcification	Extent (chest wall; combined for in profile and face on)			Width (in profile only) (3mm minimum width required)			In profile	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R L	Up to 1/4 of lateral chest wall = 1			3 to 5 mm = a			Face on	<input type="checkbox"/> O R <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> R L	1/4 to 1/2 of lateral chest wall = 2			5 to 10 mm = b			Diaphragm	<input type="checkbox"/> O <input checked="" type="checkbox"/> R X	<input checked="" type="checkbox"/> R L	> 1/2 of lateral chest wall = 3			> 10 mm = c			Other site(s)	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R	<input type="checkbox"/> O	<input checked="" type="checkbox"/> X	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input checked="" type="checkbox"/> R	<input checked="" type="checkbox"/> O L				<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input checked="" type="checkbox"/> 2	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> a	<input type="checkbox"/> b									
Chest wall	Site	Calcification	Extent (chest wall; combined for in profile and face on)			Width (in profile only) (3mm minimum width required)																																																														
In profile	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R L	Up to 1/4 of lateral chest wall = 1			3 to 5 mm = a																																																														
Face on	<input type="checkbox"/> O R <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> R L	1/4 to 1/2 of lateral chest wall = 2			5 to 10 mm = b																																																														
Diaphragm	<input type="checkbox"/> O <input checked="" type="checkbox"/> R X	<input checked="" type="checkbox"/> R L	> 1/2 of lateral chest wall = 3			> 10 mm = c																																																														
Other site(s)	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R L	<input checked="" type="checkbox"/> R	<input type="checkbox"/> O	<input checked="" type="checkbox"/> X	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input checked="" type="checkbox"/> R	<input checked="" type="checkbox"/> O L																																																										
			<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input checked="" type="checkbox"/> 2	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> a	<input type="checkbox"/> b																																																										
3C. COSTOPHRENIC ANGLE OBLITERATION		<input type="checkbox"/> R <input type="checkbox"/> L			Proceed to Section 3D			NO <input checked="" type="checkbox"/> Proceed to Section 4A																																																												
3D. DIFFUSE PLEURAL THICKENING (mark site, calcification, extent, and width)																																																																				
<table border="1"> <tr><td>Chest wall</td><td>Site</td><td>Calcification</td><td colspan="3">Extent (chest wall; combined for in profile and face on)</td><td colspan="3">Width (in profile only) (3mm minimum width required)</td></tr> <tr><td>In profile</td><td><input type="checkbox"/> O R L</td><td><input type="checkbox"/> O R L</td><td colspan="3">Up to 1/4 of lateral chest wall = 1</td><td colspan="3">3 to 5 mm = a</td></tr> <tr><td>Face on</td><td><input type="checkbox"/> O R L</td><td><input type="checkbox"/> O R L</td><td colspan="3">1/4 to 1/2 of lateral chest wall = 2</td><td colspan="3">5 to 10 mm = b</td></tr> <tr><td></td><td></td><td></td><td colspan="3">> 1/2 of lateral chest wall = 3</td><td colspan="3">> 10 mm = c</td></tr> </table>		Chest wall	Site	Calcification	Extent (chest wall; combined for in profile and face on)			Width (in profile only) (3mm minimum width required)			In profile	<input type="checkbox"/> O R L	<input type="checkbox"/> O R L	Up to 1/4 of lateral chest wall = 1			3 to 5 mm = a			Face on	<input type="checkbox"/> O R L	<input type="checkbox"/> O R L	1/4 to 1/2 of lateral chest wall = 2			5 to 10 mm = b						> 1/2 of lateral chest wall = 3			> 10 mm = c																																	
Chest wall	Site	Calcification	Extent (chest wall; combined for in profile and face on)			Width (in profile only) (3mm minimum width required)																																																														
In profile	<input type="checkbox"/> O R L	<input type="checkbox"/> O R L	Up to 1/4 of lateral chest wall = 1			3 to 5 mm = a																																																														
Face on	<input type="checkbox"/> O R L	<input type="checkbox"/> O R L	1/4 to 1/2 of lateral chest wall = 2			5 to 10 mm = b																																																														
			> 1/2 of lateral chest wall = 3			> 10 mm = c																																																														
4A. ANY OTHER ABNORMALITIES?								YES <input checked="" type="checkbox"/>	Complete Sections 4B, 4C, 4D, 4E	NO <input type="checkbox"/> Proceed to Section 5																																																										
4B. OTHER SYMBOLS (OBLIGATORY)																																																																				
<table border="1"> <tr><td>aa</td><td>at</td><td>ax</td><td>bu</td><td>ca</td><td><input checked="" type="checkbox"/> cn</td><td>co</td><td>cp</td><td>cv</td><td>di</td><td>ef</td><td>em</td><td>es</td><td>fr</td><td>hi</td><td>ho</td><td>id</td><td>ih</td><td>kl</td><td>me</td><td>pa</td><td>pb</td><td>pi</td><td>px</td><td>ra</td><td>rp</td><td>tb</td></tr> </table>		aa	at	ax	bu	ca	<input checked="" type="checkbox"/> cn	co	cp	cv	di	ef	em	es	fr	hi	ho	id	ih	kl	me	pa	pb	pi	px	ra	rp	tb																																								
aa	at	ax	bu	ca	<input checked="" type="checkbox"/> cn	co	cp	cv	di	ef	em	es	fr	hi	ho	id	ih	kl	me	pa	pb	pi	px	ra	rp	tb																																										
OD		If other diseases or significant abnormalities, findings must be recorded on reverse. (section 4C/4D)						Date Physician or Worker notified?																																																												
								MONTH	DAY	YEAR																																																										
4E. Should worker see personal physician because of findings in section 4? YES <input type="checkbox"/>		NO <input checked="" type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																										
		Proceed to Section 5						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																										

5.

Donald Breyer, M.D.
 6861 Gunn Drive
 Oakland, CA 94611-1442

DATE OF READING
 MONTH DAY YEAR

1	1	2006
0	8	2006

4C. MARK ALL BOXES THAT APPLY: (Use of this list is intended to reduce handwritten comments and is optional)

Abnormalities of the Diaphragm

- Eventration
 Hiatal hernia

Airway Disorders

- Bronchovascular markings, heavy or increased
 Hyperinflation

Bony Abnormalities

- Bony chest cage abnormality
 Fracture, healed (non-rib)
 Fracture, not healed (non-rib)
 Scoliosis
 Vertebral column abnormality

Lung Parenchymal Abnormalities

- Azygos lobe
 Density, lung
 Infiltrate
 Nodule, nodular lesion

Miscellaneous Abnormalities

- Foreign body
 Post-surgical changes/sternal wire
 Cyst

Vascular Disorders

- Aorta, anomaly of
 Vascular abnormality

4D. OTHER COMMENTS

1 CERTIFICATE OF SERVICE

2 I am employed in the County of Marin, State of California. I am over the age of 18
3 years and am not a party to the within action. My business address is 222 Rush Landing Road,
P.O. Box 6169, Novato, California, 94948-6169.

4 On the date indicated below, I served the foregoing Statement of Case Status and
5 attachments upon all counsel of record pursuant to the local rules of the United States District
Court for the Northern District of California, upon filing with that Court, using that Court's
transmission facilities by means of the Court's CM/ECF (Case Management / Electronic Case
6 Filing) system.

7 On this _____ day of July 2007

8 /s/ John Derby

9 John Derby

10 BRYANTON◆PURCELL LLP
11 ATTORNEYS AT LAW
12 222 RUSH LANDING ROAD
13 P O BOX 6169
14 NOVATO, CALIFORNIA 94948-6169
15 (415) 898-1555